

FORMULARY

EMOLLIENT LIPSTICK

ZENIBEE CREAM

Beeswax esters C14-C30

NO.	PHASE	INGREDIENT	%WW
1		Pale Pressed Castor Oil	23.10
2		Candelilla	7.00
3		Carnuba No. 1 Flakes	2.10
4		Ozokerite	2.00
5		Microcrystalline Wax	3.50
6		ZENIBEE CREAM Beeswax esters C14-C30	15.00
7		Hetester ISS	15.00
8		Isostearyl Stearoyl Stearate, Eutanol G	6.00
9		Octyl dodecanol, OHlan	1.00
10		Hydrogenated Lanolin, Prisorine 2014	9.50
11		Glycerl Triisostearate, Methyl Paraben	0.20
12		Propyl Paraben	0.10
13		35% D&C Red #7 Ca Lake/Castor Oil	5.50
14		30% FD&C Blue #1 Al Lake/Castor Oil	2.00
15		40% Red Iron Oxide/Castor Oil	4.00
16		Sil Mica	4.00

Manufacturing instructions: Premill pigment grinds using a three roll mill. Combine waxes, oils, and preservatives. Heat to 85°C with propellor agitation until clear. Adjust temperature to 75-80°C. Add pigment grinds and mica, stirring until homogeneous. Fill into molds at 70°C.

The above information is believed to be accurate and if offered in good faith and for the benefit of the customer. Zenitech, however, cannot assume any liability or risk involved in the use of its products since conditions are beyond our control. Statements concerning the possible use of our products are not intended as recommendations in the infringement of any patent. These products are for commercial use only.