

CREAM FOUNDATION ZENIBEE CREAM

	INGREDIENT	FUNCTION	% BY WEIGHT
1.	Water Phase:	51.81	
2. D	eionized water		0.10
3.	Dimethicone Copolyol (Silwet L-7087)	Wetting agent	10.00
4.	80% Titanium Dioxide/Talc	Color	0.80
5.	80% Yellow Iron Oxide/Talc	Color	0.80
6.	80% Red Iron Oxide	Color	0.40
7.	80% Black Iron Oxide	Color	0.08
8. F	rench Talc		2.72
9.	10% Potassium Hydroxide	Neutralizing agent	0.84
10. Bu	tylene Glycol	Humectant	4.00
11.	Magnesium Aluminium Silicate	Thickener	0.80
12. Bu	tylene Glycol	Humectant	2.00
13	Cellulose Gum (CMC7H3SF)	Thickener	0.12
14.	Sucrose Cocoate	Emulsifier	1.00
15. Met	hyl Paraben	Preservative	0.20
16. D	isodium EDTA	Preservative	0.05
17.	Oil Phase:		
18.	Propylene Glycol Dicaprylate/Dicaprate	Emollient	7.00
19.	Isostearyl Stearoyl Stearate	Emollient	5.00
20.	ZENIBEE CREAM Octyldodecanol and Beeswax	Creamy emollient skin conditioner	4.00
21.	Sorbitan Stearate	Emulsifier	3.00
22.	Cetearyl Alcohol, Dicetyl Phosphate, Ceteth-10 Phosphate	Emulsifier 4.00	
23. Propy	l Paraben	Preservative	0.10
24. D	eionized Water		1.00
25. D	MDM Hydantoin	Preservative	0.18
T	otal		100.00

ICH3-43

Manufacturing instructions: Combine oil phase ingredients. Heat to 75-80°C with stirring. Combine water and Dimethicone Copolyol. Begin heating to 75°C and add premilled pigment extenders while homomixing at low speed, avoiding aeration. Add KOH. Combine and add Butylene Glycol and MgAl Silicate. Homogenize for 15 minutes. Combine Butylene Glycol and CMC. Homogenize for 15 minutes. Add remaining water phase ingredients. When homogenous, add oil to water phase with homogenization. Maintain temperature and agitation for 15 minutes. Cool to 45°C with sidesweep agitation. Combine and add water and DMDMH. Cool to 30°C.

The above information is believed to be accurate and if offered in good faith and for the benefit of the customer. Zenitech, however, cannot assume any liability or risk involved in the use of its products since conditions are beyond our control. Statements concerning the possible use of our products are not intended as recommendations in the infringement of any patent. These products are for commercial use only.