



CONDITIONER for DAMAGED HAIR
Zenigloss Q

	PHASE	INGREDIENT	FUNCTION	% BY WEIGHT	BATCH SIZE 500.00
1.	A	Water		89.350	446.75
2.	A	Guar Hydroxypropyltrimonium Chloride	Thickener/Hair Conditioner	0.400	2.00
3.	A	Panthenyl Hydroxypropyl Steardimonium Chloride	Panthenol basedHair Conditioner	0.300	1.50
4.	B	Cetearyl Alcohol	Secondary Emulsifier / Viscosity building Agent	4.000	20.00
5.	B	Peg-40 Stearate	Emulsifier	0.250	1.25
6.	B	Behentrimonium Methosulfate (and) Cetearyl Alcohol	Hair Conditioner/Antisat	2.500	12.50
7.	B	Zenigloss Q Polyquaternium 57	Polymeric Cationic hair Conditioning/Gloss Agent	3.000	15.00
8.	C	Methylchloroisothiazolinone (and) Methylisothiazolinone	Preservative	0.050	0.25
9.	D	Fragrance (Herbal Type)	Fragrance	0.150	0.75
10.	E	Naoh (20% SOLN) QS TO PH 4-5	pH Adjuster	0.000	0.00
		Total		100.00	500.00

Manufacturing instructions: Heat Phase A to 75°C. Heat Phase B to 75°C. Add Phases B to Phase A. Cool to 45C and add remaining Phases. CLI# 1280801

The above information is believed to be accurate and if offered in good faith and for the benefit of the customer. Zenitech, however, cannot assume any liability or risk involved in the use of its products since conditions are beyond our control. Statements concerning the possible use of our products are not intended as recommendations in the infringement of any patent. These products are for commercial use only.

