



## FORMULARY

### BODY BUTTER ZENIBEE, ZENIGLOSS, ZENIBEE CREAM, APRICOT BUTTER

	PHASE	INCI	FUNCTION	% BY WEIGHT	BATCH SIZE 1000.00
1.	A	WATER (AQUA)	DILUENT	68.30	683.00
2.	A	DISODIUM EDTA	CHELATING AGENT	0.10	1.00
3.	A	GLYCERIN	HUMECTANT	3.00	30.00
4.	A	CARBOMER	THICKENER/STABILIZER	0.30	3.00
5.	B	CETEARYL ALCOHOL	SECONDARY EMULSION STABILIZER	3.00	30.00
6.	B	ZENIBEE Cetyl Dimethicone, Beeswax	SKIN CONDITIONER	3.00	30.00
7.	B	ZENIGLOSS Castor Isostearate Succinate	EMOLLIENT/ANTITACK AGENT	2.00	20.00
8.	B	ZENIBEE CREAM Octyldodecanol	SKIN CONDITIONER	7.50	75.00
9.	B	APRICOT BUTTER Octyldodecanol, Beeswax, Prunus Armeniaca	SKIN CONDITIONER	6.00	60.00
10.	B	GLYCERYL STEARATE PEG-100 STEARATE	EMULSIFIER	2.50	25.00
11.	B	TOCOPHERYL ACETATE	ANTIOXIDANT	0.10	1.00
12.	B	CROVOL A 70	EMOLLIENT	2.00	20.00
13.	B	N/A		0.20	2.00
14.	C	TRIETHANOLAMINE	NEUTRALIZER	1.50	15.00
15.	D	DMDM HYDANTOIN	PRESERVATIVE	0.20	2.00
16.	E	N/A		0.30	3.00
		Total		100.00	1000.00

CLI# 1641901

*Manufacturing instructions:*

PHASE A COMBINE PHASE A INGREDIENTS THEN HEAT TO TO 80C.  
PHASE B COMBINE PHASE B INGREDIENTS THEN HEAT TO 80C. MIX UNTIL ALL SOLIDS HAVE  
MELTED AND THE PHASE IS UNIFORM. ADD PHASE B TO PHASE A WITH MODERATE  
AGITATION. HOMOGENIZE BATCH AT 8000 RPM FOR 5 MINUTES. RETURN TO  
ANCHOR MIXING THEN COOL BATCH TO 40C. ADD PHASE C.  
PHASE C ADD PHASES D AND E TO BATCH WITH MIXING. COOL TO 30C. PACKAGE.  
PH: 7.04 VISCOSITY (CPS): 236000  
TD@5RPM

The above information is believed to be accurate and if offered in good faith and for the benefit of the customer. Zenitech, however, cannot assume any liability or risk involved in the use of its products since conditions are beyond our control. Statements concerning the possible use of our products are not intended as recommendations in the infringement of any patent. These products are for commercial use only.

DATE: 8/25/2005