

MOISTURIZER WITH BLACKCURRANT BUTTER

	PHASE	INGREDIENT	FUNCTION	% BY WEIGHT	BATCH SIZE
1.	A	DEIONIZED WATER	DILUENT	62.80	628.00
2.	A	CARBOMER (2% SOLUTION)	EMULSION STABILIZER, VISCOSITY INCREASING AGENT	20.00	200.00
3.	A	DISODIUM EDTA	CHELATING AGENT	0.10	1.00
4.	A	BUTYLENE GLYCOL	SKIN CONDITIONING AGENT	2.00	20.00
5.	B	CETEARYL ALCOHOL & CETEARETH 20	EMULSIFIER	2.00	20.00
6.	B	GLYCERYL STEARATE & PEG 100 STEARATE	EMULSIFIER	1.50	15.00
7.	B	BLACKCURRANT BUTTER (OCTYL DODECANOL, BEESWAX, RIBES NIGRUM (BLACKCURRANT) SEED OIL)	FILM FORMER, SKIN CONDITIONING AGENT, FRAGRANCE FROM NATURAL OIL	10.00	100.00
8.	C	TRIETHANOLAMINE (99%) PH TO 6.5-7.0	PH ADJUSTER	0.60	6.00
9.	D	GERMABEN II (PG, DIAZOLIDINYL UREA, METHYLPARABEN, PROPYLPARABEN	PRESERVATIVE	1.00	10.00
		Total		100.00	1000.00

Manufacturing instructions: Heat phase A to 70C. Heat phase B to 70C.
Add phase B to phase A. Add phase C. Cool to 50C and add phase D.

pH: 6.69 RV Spindle#6@20RPM Viscosity: 21,250 cps

Z022807-29

The above information is believed to be accurate and is offered in good faith and for the benefit of the customer. Zenitech, however, cannot assume any liability or risk involved in the use of its products since conditions are beyond our control. Statements concerning the possible use of our products are not intended as recommendations in the infringement of any patent. These products are for commercial use only.