


SUNSCREEN LOTION WITH ZENIGLOSS

	PHASE	INGREDIENT	FUNCTION	% BY WEIGHT	BATCH SIZE
1.		Water	Internal Phase	50.10	501.00
2.		Cetyl Hydroxyethylcellulose	Thickener	0.50	5.00
3.		Propylene Glycol	Solvent	2.00	20.00
4.		EDTA	Chelating Agent	0.20	2.00
5.		Lauryl PEG-12 Dimethicone	Emulsifier	5.00	50.00
6.		Sorbeth 2 Hexaoleate	Polar Ester	13.50	135.00
7.		Octinoxate	UV Absorber	7.50	75.00
8.		Octocrylene	UV Absorber	7.00	70.00
9.		Oxybenzone	UV Absorber	4.00	40.00
10.		Zenigloss (Castor Isostearate Succinate)	SPF Booster	10.00	100.00
11.		Propyl Paraben	Preservative	0.10	1.00
12.		Methyl Paraben	Preservative	0.10	1.00
		Total		100.00	1000.00

Since the formula contains an all organic sunscreen system (no TiO₂ or ZnO) the explanation is:

- In reviewing the solubility data on Zenigloss, it appears to be more compatible with Polar oils (IPM, OP, Safflower Oil). Based on the formula, Zenigloss may be providing a better solubility parameter matching to the oil phase (which does contain a Polar ester) containing the sunscreens, thereby making the sunscreens more efficient.
- The Zenigloss may be helping to increase film thickness (better than the cetyl dimethicone) thereby increasing optical path resulting in increase in SPF. Cetyl Dimethicone is the control as compared with Zenigloss.



Description

Cetyl Dimethicone
Zenigloss

SPF

18.68
25.28

% Increase

0.0
35.3

The above information is believed to be accurate and is offered in good faith and for the benefit of the customer. Zenitech, however, cannot assume any liability or risk involved in the use of its products since conditions are beyond our control. Statements concerning the possible use of our products are not intended as recommendations in the infringement of any patent. These products are for commercial use only.