



**SPF 30 (Very Water Resistant) SUNSCREEN SPRAY**

**ZENICONE XX, ZENIGLOSS SE**

	PHASE	INGREDIENT	FUNCTION	% BY WEIGHT	BATCH SIZE 2500.00
1.	A	WATER, DEIONIZED		49.27	1231.75
2.	A	PEMULEN TR2 (2% SOLN)	POLYMERIC EMULSIFIER	12.50	312.50
3.	A	<b>ZENICONE XX (PEG-8 Dimethicone &amp; PEG-8 Ricinoleate</b>	<b>WATER SOLUBLE. EMOLLIENT</b>	1.00	25.00
4.	B	<b>ZENIGLOSS SE (Castor Isostearic Succinic &amp; PEG-8 Ricinoleate</b>	<b>WATER DISPERSIBLE POLYMERIC EMOLLIENT</b>	2.00	50.00
5.	B	TRIVENT DIDA	EMOLLIENT	8.00	200.00
6.	B	OXYBENZONE	SUNSCREEN	4.00	100.00
7.	B	OCTOCRYLENE	SUNSCREEN	10.00	250.00
8.	B	OCTYL METHOXYCINNAMATE	SUNSCREEN	7.50	187.50
9.	C	TRIETHANOLAMINE 99%	NEUTRALIZER/PH ADJUSTER	0.18	4.50
10.	D	WATER DEIONIZED		5.00	125.00
11.	D	NA2EDTA	CHELATING AGENT	0.10	2.50
12.	D	GLYDANT	PRESERVATIVE	0.20	5.00
13.	E	BELLE AIRE LILAC TREE 25661	FRAGRANCE	0.25	6.25

CLI# 1450401

**This oil in water sprayable lotion exhibits excellent stability, is easy to spray and is very water resistant. Zenicone XX noticeably improves spreadability while Zenigloss SE acts to couple the sunscreens together in the oil phase which insures that they will be uniformly distributed on the skin, which optimizes SPF performance. Additionally, it helps reduce particle size (or the oil droplets) of this emulsion, further improving emulsion stability.**

*Manufacturing instructions:* COMBINE PHASES A AND B AT 70C.  
ADD PHASE C. COOL TO 35C AND ADD PHASES D AND E. HOMOGENIZE AND PACKAGE.

PH: 5.07 VISCOSITY: 4900 CPS

The above information is believed to be accurate and if offered in good faith and for the benefit of the customer. Zenitech, however, cannot assume any liability or risk involved in the use of its products since conditions are beyond our control. Statements concerning the possible use of our products are not intended as recommendations in the infringement of any patent. These products are for commercial use only

