



**SUNSCREEN EMULSION
ZENIBERRY R XX**

NO.	PHASE	INGREDIENT	% By Weight	Batch Size 500.00
1	A	Water	53.65	268.25
2	A	NA2EDTA	0.10	0.50
3	A	Propylene glycol	2.50	12.50
4	A	Keltrol T (2% soln)	15.00	75.00
5	B	Uvinul MC80	7.50	37.50
6	B	Oxybenzone	3.00	15.00
7	B	Cetearyl alcohol	2.00	10.00
8	B	Octyl salicylate	5.00	25.00
9	B	Eutanol G	5.00	25.00
10	B	Cyclomethicone	2.00	10.00
11	B	ZENIBERRY R XX PEG-8 Dimethicone and PEG-8 Rasberriate	3.00	15.00
12	B	Tocopheryl Acetate	0.25	1.25
13	C	Methylparben and Propylparaben	1.00	5.00
Total			100.00	500.00

Manufacturing instructions: Combine Phase A at 75°C. Combine Phase B at 75°C. Add Phase B to Phase A. Cool to 40°C and add Phase C.

The above information is believed to be accurate and is offered in good faith for the benefit of the customer, Zenitech however cannot assume any liability or risk involved in the use of its products since the conditions are beyond our control. Statements concerning the possible use of our products are not intended as recommendations in the infringement of any patent. These products are for commercial use only.

